

# neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 27.07.2020

Print date: 02.10.20

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

neodisher LaboClean A 8

### 1.2. Relevant identified uses of the substance or mixture and uses advised against Identified Uses

PC35                      Washing and cleaning products (including solvent based products)

### 1.3. Details of the supplier of the safety data sheet

#### Address:

Chemische Fabrik Dr. Weigert GmbH & Co. KG  
Mühlenhagen 85  
D-20539 Hamburg  
Telephone no.            +49 40 789 60 0  
Fax no.                    +49 40 789 60 120  
www.drweigert.com

#### E-mail address of person responsible for this SDS:

sida@drweigert.de

### 1.4. Emergency telephone number

Emergency telephone number: 112

## SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

#### Classification (Regulation (EC) No. 1272/2008)

Classification (Regulation (EC) No. 1272/2008)

Met. Corr. 1	H290
Skin Corr. 1A	H314
Eye Dam. 1	H318
STOT SE 3	H335
Aquatic Chronic 2	H411

The product is classified and labelled in accordance with Regulation (EC) No 1272/2008  
For explanation of abbreviations see section 16.

### 2.2. Label elements

#### Labelling according to regulation (EC) No 1272/2008

#### Hazard pictograms



#### Signal word

Danger

#### Hazard statements

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H335	May cause respiratory irritation.

# neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 27.07.2020

Print date: 02.10.20

H411 Toxic to aquatic life with long lasting effects.

## Precautionary statements

P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
 P273 Avoid release to the environment.  
 P280 Wear protective gloves/protective clothing/eye protection/face protection.  
 P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P310 Immediately call a POISON CENTER or doctor.  
 Dispose only when container is empty and closed. For disposal of product residues, refer to safety data sheet.

## Hazardous component(s) to be indicated on label (Regulation (EC) No. 1272/2008)

contains sodium hydroxide; disodium metasilicate

## Supplemental information

### Further supplemental information

Contact with acids liberates toxic gas.

## 2.3. Other hazards

The product contains no PBT or vPvB substances.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### Hazardous ingredients

##### disodium metasilicate pentahydrate

CAS No.	10213-79-3				
EINECS no.	229-912-9				
Registration no.	01-2119449811-37				
Concentration	>= 10	<	25		%
Classification (Regulation (EC) No. 1272/2008)	Skin Corr. 1B		H314		
	STOT SE 3		H335		
	Eye Dam. 1		H318		
	Met. Corr. 1		H290		

##### sodium hydroxide

CAS No.	1310-73-2				
EINECS no.	215-185-5				
Registration no.	01-2119457892-27				
Concentration	>= 10	<	25		%
Classification (Regulation (EC) No. 1272/2008)	Met. Corr. 1		H290		
	Skin Corr. 1A		H314		
	Eye Dam. 1		H318		

#### Concentration limits (Regulation (EC) No. 1272/2008)

Eye Irrit. 2	H319	>= 0.5 < 2
Skin Corr. 1A	H314	>= 5
Skin Corr. 1B	H314	>= 2 < 5
Skin Irrit. 2	H315	>= 0.5 < 2

##### Sodium carbonate

CAS No.	497-19-8
EINECS no.	207-838-8

# neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 27.07.2020

Print date: 02.10.20

Registration no. 01-2119485498-19  
Concentration  $\geq 1$  < 10 %  
Classification (Regulation (EC) No. 1272/2008)  
Eye Irrit. 2 H319

## **troclosene sodium**

CAS No. 2893-78-9  
EINECS no. 220-767-7  
Registration no. 01-2119489371-33  
Concentration  $\geq 1$  < 5 %  
Classification (Regulation (EC) No. 1272/2008)  
Ox. Sol. 2 H272  
Acute Tox. 4 H302  
Eye Irrit. 2 H319  
STOT SE 3 H335  
Aquatic Acute 1 H400  
Aquatic Chronic 1 H410

Concentration limits (Regulation (EC) No. 1272/2008)  
STOT SE 3 H335  $\geq 10$  %  
EUH031  $\geq 10$  %  
CLP Regulation (EC) No 1272/2008, Annex VI, Note G

## **Other information**

Complete text of hazard statements in chapter 16

## **SECTION 4: First aid measures**

### **4.1. Description of first aid measures**

#### **General information**

Remove contaminated clothing immediately and dispose of safely. In any case show the physician the Safety Data Sheet.

#### **After inhalation**

Ensure supply of fresh air. When dust is intensively inhaled, seek medical help immediately.

#### **After skin contact**

Wash off immediately with soap and water. Take medical treatment.

#### **After eye contact**

Separate eyelids, wash the eyes thoroughly with water (15 min.). Summon a doctor immediately.

#### **After ingestion**

If swallowed, seek medical advice immediately and show this container or label. Rinse mouth thoroughly with water. Let plenty of water be drunk in small gulps. Do not induce vomiting.

#### **Adhere to personal protective measures when giving first aid**

First aider: Pay attention to self-protection!

### **4.2. Most important symptoms and effects, both acute and delayed**

Until now no symptoms known so far.

### **4.3. Indication of any immediate medical attention and special treatment needed**

#### **Hints for the physician / hazards**

In the case of swallowing with subsequent vomiting, aspiration of the lungs can occur which can lead to chemical pneumonia or asphyxiation.

## **SECTION 5: Firefighting measures**

# neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 /  
GB

Date revised: 27.07.2020

Print date: 02.10.20

## 5.1. Extinguishing media

### Suitable extinguishing media

Product itself is non-combustible; adapt fire extinguishing measures to surrounding areas.

### Non suitable extinguishing media

Full water jet

## 5.2. Special hazards arising from the substance or mixture

In case of combustion evolution of dangerous gases possible.

## 5.3. Advice for firefighters

### Special protective equipment for fire-fighting

Do not inhale explosion and/or combustion gases. In case of combustion use a suitable breathing apparatus.

### Other information

Collect contaminated fire-fighting water separately, must not be discharged into the drains. Fire residues and contaminated fire-fighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes and clothing.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/groundwater. Knock down dust with water spray jet.

### 6.3. Methods and material for containment and cleaning up

Pick up mechanically. Dispose of absorbed material in accordance with the regulations.

### 6.4. Reference to other sections

Refer to protective measures listed in Sections 7 and 8.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### Advice on safe handling

Avoid the formation and deposition of dust. Keep container tightly closed.

#### Advice on protection against fire and explosion

The product is not combustible.

### 7.2. Conditions for safe storage, including any incompatibilities

#### Recommended storage temperature

Value > 0 °C

#### Requirements for storage rooms and vessels

Keep in original packaging, tightly closed.

#### Storage classes

Storage class according to 8B Non-combustible corrosive hazardous substances  
TRGS 510

#### Further information on storage conditions

Protect from direct sunlight.

### 7.3. Specific end use(s)

no data

# neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 27.07.2020

Print date: 02.10.20

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Exposure limit values

##### sodium hydroxide

List	EH40		
Type	WEL		
Short term exposure limit	2	mg/m <sup>3</sup>	
Status: 2011			

#### Other information

There are not known any further control parameters.

### 8.2. Exposure controls

#### General protective and hygiene measures

Do not inhale dust/fumes/aerosols. Avoid contact with skin and eyes. Do not eat, drink or smoke during work time. Wash hands before breaks and after work. Clean skin thoroughly after work; apply skin cream.

#### Respiratory protection

Use breathing apparatus in dust-laden atmosphere. Particle filter P2

#### Hand protection

##### Chemical resistant gloves

Use	Permanent hand contact		
Appropriate Material	neoprene		
Material thickness	>= 0,65	mm	
Breakthrough time	> 480	min	
Appropriate Material	butyl		
Material thickness	>= 0,7	mm	
Breakthrough time	> 480	min	
Appropriate Material	nitrile		
Material thickness	>= 0,4	mm	
Breakthrough time	> 480	min	
Use	Short-term hand contact		
Appropriate Material	nitrile		
Material thickness	>= 0,11	mm	

Hand protection must comply with EN 374.

#### Eye protection

Safety glasses with side protection shield; Eye protection must comply with EN 166.

#### Body protection

Clothing as usual in the chemical industry.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Form	solid
Colour	white
Odour	characteristic

#### Odour threshold

Remarks	not determined
---------	----------------

#### pH value

Value	appr. 14		
Concentration/H <sub>2</sub> O	10	%	

# neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 27.07.2020

Print date: 02.10.20

## Melting point

Remarks not determined

## Freezing point

Remarks not determined

## Initial boiling point and boiling range

Remarks not determined

## Flash point

Remarks Not applicable

## Evaporation rate (ether = 1) :

Remarks not determined

## Flammability (solid, gas)

evaluation not determined

## Upper/lower flammability or explosive limits

Remarks Not applicable

## Vapour pressure

Remarks not determined

## Vapour density

Remarks not determined

## Density

Remarks not determined

## Solubility in water

Remarks soluble

## Solubility(ies)

Remarks not determined

## Partition coefficient: n-octanol/water

Remarks not determined

## Ignition temperature

Remarks Not applicable

## Decomposition temperature

Remarks not determined

## Viscosity

Remarks Not applicable

## Explosive properties

evaluation not determined

## Oxidising properties

Remarks not determined

## 9.2. Other information

### Bulk density

Value 1150 to 1200 kg/m<sup>3</sup>

### Other information

None known

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

# neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 27.07.2020

Print date: 02.10.20

No hazardous reactions when stored and handled according to prescribed instructions.

## 10.2. Chemical stability

No hazardous reactions known.

## 10.3. Possibility of hazardous reactions

No hazardous reactions known.

## 10.4. Conditions to avoid

No hazardous reactions known.

## 10.5. Incompatible materials

Evolution of chlorine under influence of acids. Strong exothermic reaction with acids.

## 10.6. Hazardous decomposition products

Irritant gases/vapours

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute oral toxicity

Species	rat		
ATE	>	2.000	mg/kg
Remarks	Based on available data, the classification criteria are not met.		

#### Acute oral toxicity (Components)

##### troclosene sodium

Species	rat		
LD50		1400	mg/kg

##### disodium metasilicate pentahydrate

Species	rat		
LD50		1150 to 1350	mg/kg

##### Sodium carbonate

Species	rat		
LD50		2800	mg/kg

#### Acute dermal toxicity

Remarks Based on available data, the classification criteria are not met.

#### Acute dermal toxicity (Components)

##### troclosene sodium

Species	rat		
LD50	>	5000	mg/kg
Source	IUCLID		

##### Sodium carbonate

Species	rabbit		
LD50	>	2000	mg/kg

#### Acute inhalational toxicity

Remarks Based on available data, the classification criteria are not met.

#### Acute inhalative toxicity (Components)

##### Sodium carbonate

Species	mouse		
LC50		1,2	mg/l
Duration of exposure		2	h

##### Sodium carbonate

Species	rat		
---------	-----	--	--

# neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 /  
GB

Date revised: 27.07.2020

Print date: 02.10.20

LC50 2,3 mg/l  
Duration of exposure 2 h

## Skin corrosion/irritation

evaluation corrosive  
Remarks The classification criteria are met.

## Serious eye damage/irritation

evaluation corrosive  
Remarks The classification criteria are met.

## Sensitization

Remarks Based on available data, the classification criteria are not met.

## Subacute, subchronic, chronic toxicity

Remarks Based on available data, the classification criteria are not met.

## Mutagenicity

Remarks Based on available data, the classification criteria are not met.

## Reproductive toxicity

Remarks Based on available data, the classification criteria are not met.

## Reproduction toxicity (Components)

### Sodium carbonate

Remarks No indications of toxic effects were observed in reproduction studies in animals.

## Carcinogenicity

Remarks Based on available data, the classification criteria are not met.

## Specific Target Organ Toxicity (STOT)

### Single exposure

Remarks The classification criteria are met.  
evaluation May cause respiratory irritation.

### Repeated exposure

Remarks Based on available data, the classification criteria are not met.

## Aspiration hazard

Based on available data, the classification criteria are not met.

## Experience in practice

Inhalation of dusts may irritate the respiratory tract.

## Other information

There is no data available on the product apart from the information given in this subsection.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### General information

not determined

#### Fish toxicity (Components)

##### troclosene sodium

Species Bluegill (*Lepomis macrochirus*)  
LC50 0,28 mg/l  
Duration of exposure 96 h  
Source IUCLID

##### disodium metasilicate pentahydrate

Species zebra fish (*Brachydanio rerio*)

# neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 27.07.2020

Print date: 02.10.20

LC50	210			mg/l
Duration of exposure	96	h		

## Sodium carbonate

Species	Bluegill ( <i>Lepomis macrochirus</i> )			
LC50	300			mg/l
Duration of exposure	96	h		

## sodium hydroxide

Species	rainbow trout ( <i>Oncorhynchus mykiss</i> )			
LC50	45,4			mg/l
Duration of exposure	96	h		

## Daphnia toxicity (Components)

### troclosene sodium

Species	Daphnia magna			
LC50	0,18	to	0,21	mg/l
Duration of exposure	48	h		
Source	IUCLID			

### disodium metasilicate pentahydrate

Species	Daphnia magna			
EC50	1700			mg/l
Duration of exposure	48	h		

### Sodium carbonate

Species	Ceriodaphnia spec			
EC50	200	to	227	mg/l
Duration of exposure	48	h		

### sodium hydroxide

Species	Daphnia magna			
EC50	> 100			mg/l
Duration of exposure	48	h		

## Algae toxicity (Components)

### troclosene sodium

Species	Chlorella pyrenoidosa			
EC50	< 0,5			mg/l
Duration of exposure	3	h		

## 12.2. Persistence and degradability

### General information

not determined

## 12.3. Bioaccumulative potential

### General information

not determined

### Partition coefficient: n-octanol/water

Remarks not determined

## 12.4. Mobility in soil

### General information

not determined

## 12.5. Results of PBT and vPvB assessment

### Evaluation of persistence and bioaccumulation potential

The product contains no PBT or vPvB substances.

## 12.6. Other adverse effects

# neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 27.07.2020

Print date: 02.10.20

## General information

not determined

## General information / ecology

Do not allow to enter soil, waterways or waste water canal.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

#### Disposal recommendations for the product

Allocation of a waste code number, according to the European Waste Catalogue (EWC), should be carried out in agreement with the regional waste disposal company.

#### Disposal recommendations for packaging

Packaging that cannot be cleaned should be disposed off in agreement with the regional waste disposal company.

## SECTION 14: Transport information

	Land transport ADR/RID	Marine transport IMDG/GGVSee	Air transport ICAO/IATA
Tunnel restriction code	E		
IMDG-Code segregation group		18 Alkalis	
14.1. UN number	1759	1759	1759
14.2. UN proper shipping name	CORROSIVE SOLID, N.O.S. (sodium hydroxide, troclosene sodium)	CORROSIVE SOLID, N.O.S. (sodium hydroxide, troclosene sodium)	CORROSIVE SOLID, N.O.S. (sodium hydroxide, troclosene sodium)
14.3. Transport hazard class(es)	8	8	8
Label			
14.4. Packing group	II	II	II
Limited Quantity	1 kg		
Transport category	2		
14.5. Environmental hazards	 ENVIRONMENTALLY HAZARDOUS	Marine Pollutant 	 ENVIRONMENTALLY HAZARDOUS

## Information for all modes of transport

### 14.6. Special precautions for user

See Sections 6 to 8

# neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 / GB

Date revised: 27.07.2020

Print date: 02.10.20

## Other information

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Major-accident categories acc. 2012/18/EU

Category	E2	Hazardous to the Aquatic Environment	200.000	kg	500.000	kg
----------	----	--------------------------------------	---------	----	---------	----

#### Ingredients (Regulation (EC) No 648/2004)

##### 15 % or over but less than 30 %:

phosphates

##### Further ingredients

chlorine-based bleaching agents

#### VOC

VOC (EU) 0 %

#### Other information

The product does not contain substances of very high concern (SVHC).

### 15.2. Chemical safety assessment

For this preparation a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### Hazard statements listed in Chapter 3

H272	May intensify fire; oxidizer.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### CLP categories listed in Chapter 3

Acute Tox. 4	Acute toxicity, Category 4
Aquatic Acute 1	Hazardous to the aquatic environment, acute, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment, chronic, Category 1
Eye Dam. 1	Serious eye damage, Category 1
Eye Irrit. 2	Eye irritation, Category 2
Met. Corr. 1	Substance or mixture corrosive to metals, Category 1
Ox. Sol. 2	Oxidising solid, Category 2
Skin Corr. 1A	Skin corrosion, Category 1A
Skin Corr. 1B	Skin corrosion, Category 1B
STOT SE 3	Specific target organ toxicity - single exposure, Category 3

### Abbreviations

ADR: Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID: Règlement concernant le transport international ferroviaire de marchandises dangereuses  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association

## neodisher LaboClean A 8

Version: 3 / GB

Replaces Version: 2 /  
GB

Date revised: 27.07.2020

Print date: 02.10.20

ICAO: International Civil Aviation Organization

MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978 (MARPOL: Marine Pollution)

IBC: Intermediate Bulk Container

CAS: Chemical Abstracts Service

VOC: Volatile Organic Compound

ISO: International Organization for Standardization

LD: Lethal dose

LC: Lethal concentration

PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very persistent and very bioaccumulative

SVHC: Substances of very high concern

OECD: Organisation for Economic Co-operation and Development

### Supplemental information

Relevant changes compared with the previous version of the safety data sheet are marked with: \*\*\*  
This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.