

## BLS 512-512V SERIES VERTICAL DISPOSABLE RESPIRATORS



The disposable respirators of the BLS 512-512V series offer effective protection of the respiratory tract in those environments where the wearer is exposed to non-volatile solid and/or liquid particles (dust, fumes, mists).



### *Features /*



#### SINGLE PACKED 2-PANEL VERTICAL DESIGN

The mask adapts to all kinds of faces with different sizes and shapes, it is comfortable to wear and easy to store when not worn. The individual hygienic packaging also protects the respirator from any contamination before use, allowing practical storage and distribution in the workplace.



#### INTERNAL NOSE CLIP

The nose clip is placed internally and adapts perfectly to the profile of the nose and eyes ensuring good visibility and great compatibility with glasses.



#### EXHALATION VALVE

Available with or without lateral exhalation valve.

# BLS 512-512V SERIES

## VERTICAL DISPOSABLE RESPIRATORS

### MATERIALS

|                    |                               |
|--------------------|-------------------------------|
| STRAP              | Rubber                        |
| NOSE CLIP          | Reinforced Polypropylene (PP) |
| FILTERING MATERIAL | Polypropylene (PP)            |

### STORAGE

|                   |               |
|-------------------|---------------|
| SHELF LIFE        | 10 years      |
| TEMPERATURE       | + 5°C / +40°C |
| RELATIVE HUMIDITY | < 60 %        |

### TECHNICAL DATA

| CODE    | ITEM     | CLASS OF PROTECTION | VALVE |
|---------|----------|---------------------|-------|
| 8101004 | BLS 512  | FFP2                |       |
| 8101005 | BLS 512V | FFP2                | V     |

### CERTIFICATION

BLS respirators are:

- certified according to the European Regulation 425/2016 (Personal protective equipments)
- certified as PPE of III category, in presumption of conformity to harmonized standard EN 149:2001+A1:2009
- certified and controlled according to Annex D by Italcert S.r.l. (Notified Body n°0426)
- CE marked

BLS management system is ISO 9001 certified

### TRANSPORT

| ITEM     | CODE    | WEIGHT (g) | Q.TY / PACK | Q.TY / BOX | BOX WEIGHT (Kg) | Q.TY / PALLET |
|----------|---------|------------|-------------|------------|-----------------|---------------|
| BLS 512  | 8101004 | 12         | 20          | 240        | 5,1             | 7.680         |
| BLS 512V | 8101005 | 15         | 20          | 240        | 5,8             | 7.680         |

### SELECTION GUIDE

#### FOLDABLE

- It prevents internal mask contamination, in direct contact with the face, before and after use.
- It can be distributed through vending machines.
- Ideal for intermittent use, it does not get ruined if kept in a pocket.

#### WITHOUT VALVE

- Exhalation barrier, it protects the environment from the wearer.
- Ideal in the food industry, in the medical field and all working environments where potential contamination by the wearer must be avoided.

#### WITH VALVE

- It allows to reduce the respiratory resistance, guaranteeing a higher comfort of the product.

### IMPORTANT

BLS shall assume no liability whatsoever, direct or indirect, deriving from incorrect or improper use of the devices and failure to comply with the instructions. The wearer is responsible for determining the suitability of the products for the intended use.