



---

## Basic Line- Forced ventilation oven 52 lt - STE-F 52

### Summary

Forced ventilation basic oven of 52 lt

Basic ovens are reliable and robust as standard Falc models (STF-N/STF-F) but they are made with simple structural solutions to get them cheaper.

Falc Basic Ovens are perfect instruments for generic thermostatic purposes such as glassware drying and sterilizing that don't need specific temperature. To do this, they are used with or without ventilation. Unlike incubators, ovens reach higher temperatures, up to 300°C.

### Description

- \* Forced ventilation

- \* External steel structure varnished with epoxy paint

- \* Internal chamber in 18/8 stainless steel

- \* Security class 0

- \* 45 mm hole placed on the posterior part for fume discharge, with regulation device for opening/closing passage

- \* 10 mm hole placed on the upper part for insertion of probe or thermometer

- \* Manual chimney opening



## Features

|                            |                         |
|----------------------------|-------------------------|
| Item                       | 720.2089.05             |
| Min temperature            | Ambiente +5 °C          |
| Max temperature            | +300 °C                 |
| Precision                  | 150°C ±1,5 / 300°C ±2,5 |
| Risolution                 | 0,1°C                   |
| Heating power              | W 1200                  |
| Internal dimension (LxWxH) | 390x350x390 mm          |
| Number racks included      | n. 2                    |
| External dimension (LxWxH) | 710x580x610 mm          |
| Power                      | V/Hz 220/240 - 50/60    |
| Weight                     | Kg 55                   |
| Maximum number racks       | n° 6                    |



---

|                  |       |
|------------------|-------|
| Security class   | 0     |
| Protection class | IP 42 |
| Capacity         | lt 52 |